

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Article  
Name : lead-acid accumulators (Lead-acid batteries)

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### 1.2.1. Relevant identified uses

Intended for general public  
Main use category : Professional use  
Use of the substance/mixture : Electrical batteries and accumulators

##### 1.2.2. Uses advised against

No additional information available

#### 1.3. Details of the supplier of the safety data sheet

Hefra  
Van weerden Poelmanweg 28  
3088 EB Rotterdam - The Netherlands  
T +31(0)88 4009003 / Mobile: +31(0)6 51042909  
[info@hefra.nl](mailto:info@hefra.nl) - <http://www.hefra.nl>

#### 1.4. Emergency telephone number

| Country        | Organisation/Company   | Address                         | Emergency number | Remark |
|----------------|--|---------------------------------|------------------|--------|
| United Kingdom | Guy's & St Thomas' Poisons Unit<br>Medical Toxicology Unit, Centre<br>Hospitalier Universitaire de Constantine | Avonley Road<br>SE14 5ER London | 0870 243 2241    |        |

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Not classified

##### Adverse physicochemical, human health and environmental effects

No hazards in case of an intact battery and using according the instructions. The battery should not be opened or burned. Exposure to the ingredients contained within or their combustion products could be harmful.

#### 2.2. Label elements

##### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Security closing plug for children : Not applicable  
Tactile warning : Not applicable

#### 2.3. Other hazards

Other hazards not contributing to the classification : hazards in case of damaged / ruptured battery.

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII

This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

### SECTION 3: Composition/information on ingredients

#### 3.1. Substance

Not applicable

#### 3.2. Mixture

# lead-acid accumulators (Lead-acid batteries)

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

| Name                             | Product identifier  | %    | Classification according to Regulation (EC) No. 1272/2008 [CLP]   |
|----------------------------------|---|------|---|
| Lead and Lead alloys             | (CAS No) 7439-92-1<br>(EC no) 231-100-4                               | ~ 32 | Not classified  |
| Active mass (battery lead paste) | (CAS No) 7439-92-1<br>(EC no) 231-100-4                               | ~ 32 | Acute Tox. 4 (Oral), H302<br>Acute Tox. 4 (Inhalation:dust,mist),<br>H332<br>Repr. 1A, H360Df<br>STOT RE 2, H373<br>Aquatic Chronic 3, H412 |
| sulphuric acid<br>(Note B)       | (CAS No) 7664-93-9<br>(EC no) 231-639-5<br>(EC index no) 016-020-00-8 | ~ 29 | Skin Corr. 1A, H314   |
| Plastic Container                |   | ~ 7  | Not classified  |

### Specific concentration limits:

| Name           | Product identifier  | Specific concentration limits   |
|----------------|---|---|
| sulphuric acid | (CAS No) 7664-93-9<br>(EC no) 231-639-5<br>(EC index no) 016-020-00-8 | ( 5 =<C < 15) Eye Irrit. 2, H319<br>( 5 =<C < 15) Skin Irrit. 2, H315<br>( C >= 15) Skin Corr. 1A, H314 |

Note B : Some substances (acids, bases, etc.) are placed on the market in aqueous solutions at various concentrations and, therefore, these solutions require different classification and labelling since the hazards vary at different concentrations. In Part 3 entries with Note B have a general designation of the following type: "nitric acid ... %".

In this case the supplier must state the percentage concentration of the solution on the label. Unless otherwise stated, it is assumed that the percentage concentration is calculated on a ght/weight basis.

Full text of H-phrases: see section 16

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

|                                       |  |
|---------------------------------------|--|
| First-aid measures general            | : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).  |
| First-aid measures after inhalation   | : Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical advice/attention if you feel unwell.                                      |
| First-aid measures after skin contact | : Remove contaminated clothes. Wash skin with plenty of water. If skin irritation persists, take medical advice.   |
| First-aid measures after eye contact  | : Rinse immediately with plenty of water. Remove contact lenses, if present and easy to do. Continue rinsing. Obtain medical attention if pain, blinking or redness persist. |
| First-aid measures after ingestion    | : Rinse mouth. Do NOT induce vomiting. Get medical advice/attention if you feel unwell.  |

### 4.2. Most important symptoms and effects, both acute and delayed

|                                      |   |
|--------------------------------------|---|
| Symptoms/injuries                    | : Not expected to present a significant hazard under anticipated conditions of normal use.  |
| Symptoms/injuries after inhalation   | : Inhalation of material from a sealed battery is not an expected exposure route. Vapors or mists from a ruptured battery may cause respiratory irritation.   |
| Symptoms/injuries after skin contact | : Contact between the battery and skin will not cause any harm. Skin contact with positive and negative terminals of high voltages may cause burns to the skin.<br>Skin contact with a ruptured or shorted battery can cause chemical burns or irritation upon contact with the skin. |
| Symptoms/injuries after eye contact  | : Contact between the battery and eye will not cause any harm. Eye contact with the contents of a ruptured battery can cause severe irritation to the eye.  |
| Symptoms/injuries after ingestion    | : Swallowing of material from a sealed battery is not an expected exposure route. Swallowing mists from a ruptured battery may cause respiratory irritation, chemical burns of the mouth and gastrointestinal tract irritation.   |

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

|                                |  |
|--------------------------------|--|
| Suitable extinguishing media   | : Foam. Dry powder. Carbon dioxide. Water spray. Sand. |
| Unsuitable extinguishing media | : Do not use a heavy water stream.                     |

### 5.2. Special hazards arising from the substance or mixture

|  |  |
|--|--|
| Fire hazard                                      | : Non flammable.                                       |
| Explosion hazard                                 | : Explosion risk in case of fire.                      |
| Hazardous decomposition products in case of fire | : Carbon oxides (CO, CO <sub>2</sub> ). Lithium Gases. |

# lead-acid accumulators (Lead-acid batteries)

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### 5.3. Advice for firefighters

- Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment.
- Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

- General measures : If the battery material is released, remove personnel from the area until fumes dissipate. Ventilate the area to remove the hazardous gases. Leave the area and allow the batteries to cool. Avoid skin and eye contact or inhalation of vapors.

#### 6.1.1. For non-emergency personnel

- Emergency procedures : Evacuate unnecessary personnel.

#### 6.1.2. For emergency responders

- Protective equipment : Equip cleanup crew with proper protection. For further information refer to section 8 : "Exposure-controls/personal protection".
- Emergency procedures : Ventilate area.

### 6.2. Environmental precautions

Avoid release to the environment.

### 6.3. Methods and material for containment and cleaning up

- Methods for cleaning up : Mechanically recover the product.
- Other information : Dispose of materials or solid residues at an authorized site.

### 6.4. Reference to other sections

For further information refer to section 8 : "Exposure-controls/personal protection". Concerning disposal elimination after cleaning, see item 13.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

- Precautions for safe handling : The battery should not be opened or burned. Exposure to the ingredients contained within or their combustion products could be harmful. Concerning personal protective equipment to use, see item 8. Provide good ventilation in process area to prevent formation of vapour.
- Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

### 7.2. Conditions for safe storage, including any incompatibilities

- Storage conditions : Store in tightly closed, properly ventilated containers away from heat, sparks, open flame. Keep container tightly closed and dry. Store in dry, cool, well-ventilated area.
- Heat and ignition sources : Keep away from heat and direct sunlight.

### 7.3. Specific end use(s)

Electrical batteries and accumulators.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

| Lead and Lead alloys (7439-92-1) |                                |  |
|----------------------------------|--------------------------------|--|
| EU                               | IOELV TWA (mg/m <sup>3</sup> ) | 0,15 mg/m <sup>3</sup>   |
| EU                               | Notes                          | inhalable aerosol  |
| EU                               | European BEI                   | 70 µg/100ml (Medium: blood - Time: no restriction - Parameter: Lead (binding biological limit value)<br>0,075 mg/m <sup>3</sup> (Medium: air - Time: 40 hours per week - Parameter: Lead (TWA medical surveillance threshold in air measured as a time weighted average over 40 hours per week)<br>40 µg/100ml (Medium: blood - Time: no restriction - Parameter: Lead (medical surveillance threshold measured in individual workers) |
| United Kingdom                   | WEL TWA (mg/m <sup>3</sup> )   | 0,15 mg/m <sup>3</sup>   |
| United Kingdom                   | WEL STEL (mg/m <sup>3</sup> )  | 0,45 mg/m <sup>3</sup> (calculated)  |
| sulphuric acid (7664-93-9)       |                                |  |
| EU                               | Local name                     | Sulphuric acid (mist)  |
| EU                               | IOELV TWA (mg/m <sup>3</sup> ) | 0,05 mg/m <sup>3</sup>   |
| United Kingdom                   | Local name                     | Sulphuric acid   |
| United Kingdom                   | WEL TWA (mg/m <sup>3</sup> )   | 0,05 mg/m <sup>3</sup> (mist)  |
| United Kingdom                   | Remark (WEL)                   | The mist is defined as the thoracic fraction   |

# lead-acid accumulators (Lead-acid batteries)

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### 8.2. Exposure controls

|                                  |  |
|----------------------------------|--|
| Appropriate engineering controls | : hazards in case of damaged / ruptured battery.   |
| Personal protective equipment    | : Gloves. Safety glasses.  |
| Hand protection                  | : Nitrile-rubber protective gloves. Permeation time: minimum >480min long term exposure: material / thickness [mm] 0.11 mm |
| Eye protection                   | : Safety glasses   |
| Skin and body protection         | : Wear suitable protective clothing  |
| Respiratory protection           | : No special respiratory protection equipment is recommended under normal conditions of use with adequate ventilation      |



Other information : Do not eat, drink or smoke during use.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

|  |                               |
|--|-------------------------------|
| Physical state                             | : Solid                       |
| Appearance                                 | : batteries and accumulators. |
| Colour                                     | : Not available.              |
| Odour                                      | : Odourless.                  |
| Odour threshold                            | : No data available           |
| pH   | : No data available           |
| Relative evaporation rate (butylacetate=1) | : No data available           |
| Melting point                              | : No data available           |
| Freezing point                             | : No data available           |
| Boiling point                              | : No data available           |
| Flash point                                | : No data available           |
| Auto-ignition temperature                  | : No data available           |
| Decomposition temperature                  | : 338 °C                      |
| Flammability (solid, gas)                  | : No data available           |
| Vapour pressure                            | : No data available           |
| Relative vapour density at 20 °C           | : No data available           |
| Relative density                           | : No data available           |
| Solubility                                 | : No data available           |
| Log Pow                                    | : No data available           |
| Viscosity, kinematic                       | : No data available           |
| Viscosity, dynamic                         | : No data available           |
| Explosive properties                       | : No data available           |
| Oxidising properties                       | : No data available           |
| Explosive limits                           | : No data available           |

### 9.2. Other information

No additional information available

## Diluted sulphuric acid 30 - 38 %

### 9.1. Information on basic physical and chemical properties

|  |                     |
|--|---------------------|
| Physical state                             | : Liquid            |
| Appearance                                 | : clear.            |
| Colour                                     | : Colourless.       |
| Odour                                      | : Odourless.        |
| Odour threshold                            | : No data available |
| pH   | : 0,3               |
| Relative evaporation rate (butylacetate=1) | : No data available |

# lead-acid accumulators (Lead-acid batteries)

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

|                                  |                              |
|----------------------------------|------------------------------|
| Melting point                    | : -50 - -35 °C               |
| Freezing point                   | : -35 - -60 °C               |
| Boiling point                    | : 108 - 144 °C               |
| Flash point                      | : No data available          |
| Auto-ignition temperature        | : No data available          |
| Decomposition temperature        | : No data available          |
| Flammability (solid, gas)        | : No data available          |
| Vapour pressure                  | : 14,6 mbar                  |
| Relative vapour density at 20 °C | : No data available          |
| Relative density                 | : No data available          |
| Density                          | : 1,2 - 1,3 g/m <sup>3</sup> |
| Solubility                       | : Miscible with water.       |
| Log Pow                          | : No data available          |
| Viscosity, kinematic             | : No data available          |
| Viscosity, dynamic               | : < 5 mPa.s                  |
| Explosive properties             | : Product is not explosive.  |
| Oxidising properties             | : No data available          |
| Explosive limits                 | : No data available          |

## Lead and Lead alloys

### 9.1. Information on basic physical and chemical properties

|  |                             |
|--|-----------------------------|
| Physical state                             | : Solid                     |
| Colour                                     | : Grey.                     |
| Odour                                      | : Odourless.                |
| Odour threshold                            | : No data available         |
| pH   | : 7 - 8                     |
| Relative evaporation rate (butylacetate=1) | : No data available         |
| Melting point                              | : 327 °C                    |
| Freezing point                             | : No data available         |
| Boiling point                              | : 1740 °C                   |
| Flash point                                | : No data available         |
| Auto-ignition temperature                  | : No data available         |
| Decomposition temperature                  | : No data available         |
| Flammability (solid, gas)                  | : No data available         |
| Vapour pressure                            | : 1,33 hPa (at 973 °C)      |
| Relative vapour density at 20 °C           | : No data available         |
| Relative density                           | : No data available         |
| Density                                    | : 11,35 g/cm <sup>3</sup>   |
| Solubility                                 | : Water: 0,15 mg/l          |
| Log Pow                                    | : No data available         |
| Viscosity, kinematic                       | : No data available         |
| Viscosity, dynamic                         | : No data available         |
| Explosive properties                       | : Product is not explosive. |
| Oxidising properties                       | : No data available         |
| Explosive limits                           | : No data available         |

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

Stable under normal conditions of use.

### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

No dangerous reactions known.

# lead-acid accumulators (Lead-acid batteries)

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### 10.4. Conditions to avoid

Extremely high or low temperatures. Keep out of direct sunlight. The battery should not be opened or burned. Exposure to the ingredients contained within or their combustion products could be harmful.

### 10.5. Incompatible materials

Strong acids. Strong bases.

### 10.6. Hazardous decomposition products

Carbon oxides (CO, CO<sub>2</sub>). Explosion risks of vapours.

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

Acute toxicity : Not classified

| sulphuric acid (7664-93-9)                |                       |
|---|-----------------------|
| LD50 oral rat                             | 2140 mg/kg            |
| LD50 oral                                 | 2140 mg/kg bodyweight |
| LC50 inhalation rat (mg/l)                | 510 mg/m <sup>3</sup> |
| LC50 inhalation rat (Dust/Mist - mg/l/4h) | 375 mg/l/4h           |

Skin corrosion/irritation : The product is not considered to be irritating to the skin  
Serious eye damage/irritation : The product is not considered to be irritating to the eyes  
Respiratory or skin sensitisation : Not specifically applicable  
Germ cell mutagenicity : No mutagenic effect  
Carcinogenicity : No carcinogenic effect  
Reproductive toxicity : No indications of human reproductive toxicity exist  
Specific target organ toxicity (single exposure) : Not classified  
Specific target organ toxicity (repeated exposure) : Not classified  
Aspiration hazard : Not classified

## SECTION 12: Ecological information

### 12.1. Toxicity

| Lead and Lead alloys (7439-92-1) |                                   |
|----------------------------------|-----------------------------------|
| LC50 fishes 1                    | 0,44 mg/l                         |
| LC50 fish 2                      | 1,17 mg/l                         |
| EC50 Daphnia 1                   | 600 µg/l                          |
| sulphuric acid (7664-93-9)       |                                   |
| LC50 fishes 1                    | > 500 mg/l                        |
| EC50 other aquatic organisms 1   | > 100 mg/l EC50 waterflea (48 h)  |
| EC50 other aquatic organisms 2   | > 100 mg/l IC50 algae (72 h) mg/l |

### 12.2. Persistence and degradability

| lead-acid accumulators (Lead-acid batteries) |                  |
|--|------------------|
| Persistence and degradability                | Not established. |

### 12.3. Bioaccumulative potential

| lead-acid accumulators (Lead-acid batteries) |                      |
|--|----------------------|
| Bioaccumulative potential                    | Not established.     |
| sulphuric acid (7664-93-9)                   |                      |
| Bioaccumulative potential                    | not bioaccumulative. |

### 12.4. Mobility in soil

No additional information available

### 12.5. Results of PBT and vPvB assessment

| lead-acid accumulators (Lead-acid batteries)   |  |
|--|--|
| This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII  |  |
| This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII |  |

### 12.6. Other adverse effects

Additional information : Avoid release to the environment

# lead-acid accumulators (Lead-acid batteries)

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

|                                   |  |
|-----------------------------------|--|
| Waste disposal recommendations    | : Dispose in a safe manner in accordance with local/national regulations.                              |
| Additional information            | : Empty containers should be taken for recycle, recovery or waste in accordance with local regulation. |
| Ecology - waste materials         | : Avoid release to the environment.  |
| European List of Waste (LoW) code | : 16 06 00 - batteries and accumulators<br>16 06 01* - lead batteries                                  |

### SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

#### 14.1. UN number

|               |        |
|---------------|--------|
| UN-No. (ADR)  | : 2794 |
| UN-No. (IMDG) | : 2794 |
| UN-No. (IATA) | : 2794 |
| UN-No. (ADN)  | : 2794 |
| UN-No. (RID)  | : 2794 |

#### 14.2. UN proper shipping name

|                                       |  |
|---------------------------------------|--|
| Proper Shipping Name (ADR)            | : BATTERIES, WET, FILLED WITH ACID   |
| Proper Shipping Name (IMDG)           | : BATTERIES, WET, FILLED WITH ACID   |
| Proper Shipping Name (IATA)           | : Batteries, wet, filled with acid   |
| Proper Shipping Name (ADN)            | : BATTERIES, WET, FILLED WITH ACID   |
| Proper Shipping Name (RID)            | : BATTERIES, WET, FILLED WITH ACID   |
| Transport document description (ADR)  | : UN 2794 BATTERIES, WET, FILLED WITH ACID (sulphuric acid ; Lead and Lead alloys), 8, (E) |
| Transport document description (IMDG) | : UN 2794 BATTERIES, WET, FILLED WITH ACID, 8  |
| Transport document description (IATA) | : UN 2794 Batteries, wet, filled with acid, 8  |
| Transport document description (ADN)  | : UN 2794 BATTERIES, WET, FILLED WITH ACID, 8  |
| Transport document description (RID)  | : UN 2794 BATTERIES, WET, FILLED WITH ACID, 8  |

#### 14.3. Transport hazard class(es)

##### ADR

|                                  |     |
|----------------------------------|-----|
| Transport hazard class(es) (ADR) | : 8 |
| Danger labels (ADR)              | : 8 |



##### IMDG

|                                   |     |
|-----------------------------------|-----|
| Transport hazard class(es) (IMDG) | : 8 |
| Danger labels (IMDG)              | : 8 |



##### IATA

|                                   |     |
|-----------------------------------|-----|
| Transport hazard class(es) (IATA) | : 8 |
| Hazard labels (IATA)              | : 8 |



# lead-acid accumulators (Lead-acid batteries)

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### ADN

Transport hazard class(es) (ADN) : 8

Danger labels (ADN) : 8



### RID

Transport hazard class(es) (RID) : 8

Danger labels (RID) : 8



### 14.4. Packing group

Packing group (ADR) : Not applicable

Packing group (IMDG) : Not applicable

Packing group (IATA) : Not applicable

Packing group (ADN) : Not applicable

Packing group (RID) : Not applicable

### 14.5. Environmental hazards

Dangerous for the environment : No

Marine pollutant : No

Other information : No supplementary information available

### 14.6. Special precautions for user

#### - Overland transport

Classification code (ADR) : C11

Special provisions (ADR) : 295, 598

Limited quantities (ADR) : 11

Excepted quantities (ADR) : E0


Packing instructions (ADR) : P801, P801a

Transport category (ADR) : 3

Special provisions for carriage - Bulk (ADR) : VC1, VC2, AP8

Hazard identification number (Kemler No.) : 80

Orange plates :



Tunnel restriction code (ADR) : E

EAC code : 2R

#### - Transport by sea

Special provisions (IMDG) : 295

Limited quantities (IMDG) : 1 L

Excepted quantities (IMDG) : E0

Packing instructions (IMDG) : P801

EmS-No. (Fire) : F-A

EmS-No. (Spillage) : S-B

Stowage category (IMDG) : A



# lead-acid accumulators (Lead-acid batteries)

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Properties and observations (IMDG) : Metal plates immersed in acid electrolyte in a glass, hard rubber or plastics receptacle. When electrically charged, may cause fire through short-circuiting of terminals. Acid electrolyte is corrosive to most metals. Cause burns to skin, eyes and mucous membranes. Used batteries being transported for disposal or reclamation should be carefully checked prior to shipment to ensure the integrity of each battery and its suitability for transport.

MFAG-No : 154

### - Air transport

PCA Excepted quantities (IATA) : E0  
PCA Limited quantities (IATA) : Forbidden  
PCA limited quantity max net quantity (IATA) : Forbidden  
PCA packing instructions (IATA) : 870  
PCA max net quantity (IATA) : 30kg  
CAO packing instructions (IATA) : 870  
CAO max net quantity (IATA) : No limit  
Special provisions (IATA) : A51, A164, A183  
ERG code (IATA) : 8L

### - Inland waterway transport

Classification code (ADN) : C11  
Special provisions (ADN) : 295, 598  
Limited quantities (ADN) : 1 L  
Excepted quantities (ADN) : E0  
Equipment required (ADN) : PP, EP  
Number of blue cones/lights (ADN) : 0

### - Rail transport

Classification code (RID) : C11  
Special provisions (RID) : 295, 598  
Limited quantities (RID) : 1L  
Excepted quantities (RID) : E0  
Packing instructions (RID) : P801, P801a  
Transport category (RID) : 3  
Special provisions for carriage – Bulk (RID) : VW14  
Colis express (express parcels) (RID) : CE8  
Hazard identification number (RID) : 80

### 14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Not applicable

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

Contains no substance on the REACH candidate list

#### 15.1.2. National regulations

No additional information available

### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

## SECTION 16: Other information

Indication of changes:

Classification according to Regulation (EC) No. 1272/2008 [CLP].

Abbreviations and acronyms:

|      |  |
|------|--|
| PBT  | Persistent Bioaccumulative Toxic         |
| vPvB | Very Persistent and Very Bioaccumulative |

Data sources : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.

# lead-acid accumulators (Lead-acid batteries)

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Other information

: REACH Disclaimer:

This information is based on current knowledge. Consistency of data in the SDS with CSR is considered, as far as the information is available at the time of compilation (cfr Revision date and Version number). **DISCLAIMER OF LIABILITY** The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable.

Full text of H- and EUH-statements:

|                                     |  |
|-------------------------------------|--|
| Acute Tox. 4 (Inhalation:dust,mist) | Acute toxicity (inhalation:dust,mist) Category 4                   |
| Acute Tox. 4 (Oral)                 | Acute toxicity (oral), Category 4                                  |
| Aquatic Chronic 3                   | Hazardous to the aquatic environment — Chronic Hazard, Category 3  |
| Repr. 1A                            | Reproductive toxicity, Category 1A                                 |
| Skin Corr. 1A                       | Skin corrosion/irritation, Category 1A                             |
| STOT RE 2                           | Specific target organ toxicity — Repeated exposure, Category 2     |
| H302                                | Harmful if swallowed   |
| H314                                | Causes severe skin burns and eye damage                            |
| H332                                | Harmful if inhaled   |
| H360Df                              | May damage the unborn child. Suspected of damaging fertility       |
| H373                                | May cause damage to organs through prolonged or repeated exposure. |
| H412                                | Harmful to aquatic life with long lasting effects                  |

Safety Data Sheet applicable for regions

: GB - United Kingdom

This Safety Data Sheet is compiled by :

Trade Wind B.V. (info@twnl.com)

SDS EU (REACH Annex II)

*This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product*