

**SECTION 1: Identification of the substance/mixture and of the company/undertaking****1.1. Product identifier**

Product form : Article  
Product name : Lead-Acid Batteries

**1.2. Relevant identified uses of the substance or mixture and uses advised against****1.2.1. Relevant identified uses**

Intended for general public  
Main use category : Professional use  
Use of the substance/mixture : Electrical batteries and accumulators

**1.2.2. Uses advised against**

No additional information available

**1.3. Details of the supplier of the safety data sheet**

Ecobat Battery  
Van Weerden poelmanweg 28  
NL- 3088 EB Rotterdam  
The Netherlands  
T +31 88 400 9000  
[info.hefra@ecobat.com](mailto:info.hefra@ecobat.com) - [www.ecobat.nl](http://www.ecobat.nl)

**1.4. Emergency telephone number**

Country	Organisation/Company	Address	Emergency number	Comment
United Kingdom	National Poisons Information Service (Belfast Centre) Royal Victoria Hospital	Grosvenor Road BT12 6BA Belfast	0344 892 0111	Only for healthcare professionals

**SECTION 2: Hazards identification****2.1. Classification of the substance or mixture****Classification according to Regulation (EC) No. 1272/2008 [CLP]**

Skin corrosion/irritation, Category 1, Sub-Category 1A H314  
Serious eye damage/eye irritation, Category 1 H318  
Reproductive toxicity, Category 1A H360FD  
Reproductive toxicity, Additional category, Effects on or via lactation H362  
Specific target organ toxicity – Repeated exposure, Category 1 H372  
Full text of H- and EUH-statements: see section 16

**Adverse physicochemical, human health and environmental effects**

No hazards in case of an intact battery and using according the instructions. The battery should not be opened or burned. Exposure to the ingredients contained within or their combustion products could be harmful.

**2.2. Label elements**

According to EC directives or the corresponding national regulations there is no labelling obligation for this product.  
No labelling applicable

**2.3. Other hazards**

Other hazards which do not result in classification : hazards in case of damaged / ruptured battery.

Contains no PBT/vPvB substances  $\geq 0.1\%$  assessed in accordance with REACH Annex XIII

# Lead-Acid Batteries

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Component	
Lead and Lead alloys (7439-92-1)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
Active mass (battery lead paste) (7439-92-1)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
Component	
Lead and Lead alloys(7439-92-1)	The substance is not included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605
Active mass (battery lead paste)(7439-92-1)	The substance is not included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605

### SECTION 3: Composition/information on ingredients

#### 3.1. Substances

Not applicable

#### 3.2. Mixtures

Name	Product identifier	Conc. (% w/w)	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Lead and Lead alloys substance listed as REACH Candidate (Lead)	CAS-No.: 7439-92-1 EC-No.: 231-100-4 EC Index-No.: 082-014-00-7 REACH-no: 01-2119513221-59	~ 32	Repr. 1A, H360FD Lact., H362 STOT RE 1, H372
Active mass (battery lead paste) substance listed as REACH Candidate (Lead)	CAS-No.: 7439-92-1 EC-No.: 231-100-4 EC Index-No.: 082-014-00-7 REACH-no: 01-2119513221-59	~ 32	Repr. 1A, H360FD Lact., H362 STOT RE 1, H372
Sulphuric acid (Note B)	CAS-No.: 7664-93-9 EC-No.: 231-639-5 EC Index-No.: 016-020-00-8 REACH-no: 01-2119458838-20	~ 29	Skin Corr. 1A, H314
Plastic Container	-	~ 7	Not classified

#### Specific concentration limits:

Name	Product identifier	Specific concentration limits
Sulphuric acid	CAS-No.: 7664-93-9 EC-No.: 231-639-5 EC Index-No.: 016-020-00-8 REACH-no: 01-2119458838-20	( 5 ≤C < 15) Eye Irrit. 2, H319 ( 5 ≤C < 15) Skin Irrit. 2, H315 ( 15 ≤C < 100) Skin Corr. 1A, H314

# Lead-Acid Batteries

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Note B : Some substances (acids, bases, etc.) are placed on the market in aqueous solutions at various concentrations and, therefore, these solutions require different classification and labelling since the hazards vary at different concentrations. In Part 3 entries with Note B have a general designation of the following type: 'nitric acid ... %'. In this case the supplier must state the percentage concentration of the solution on the label. Unless otherwise stated, it is assumed that the percentage concentration is calculated on a weight/weight basis.

Full text of H- and EUH-statements: see section 16

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

First-aid measures general	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing. Get medical advice/attention if you feel unwell.
First-aid measures after skin contact	: Remove contaminated clothes. Wash skin with plenty of water. Get medical advice if skin irritation persists.
First-aid measures after eye contact	: Rinse immediately with plenty of water. Remove contact lenses, if present and easy to do. Continue rinsing. Obtain medical attention if pain, blinking or redness persists.
First-aid measures after ingestion	: Rinse mouth. Do NOT induce vomiting. Get medical advice/attention if you feel unwell.

#### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects	: Not expected to present a significant hazard under anticipated conditions of normal use.
Symptoms/effects after inhalation	: Inhalation of material from a sealed battery is not an expected exposure route. Vapors or mists from a ruptured battery may cause respiratory irritation.
Symptoms/effects after skin contact	: Contact between the battery and skin will not cause any harm. Skin contact with positive and negative terminals of high voltages may cause burns to the skin. Skin contact with a ruptured or shorted battery can cause chemical burns or irritation upon contact with the skin.
Symptoms/effects after eye contact	: Contact between the battery and eye will not cause any harm. Eye contact with the contents of a ruptured battery can cause severe irritation to the eye.
Symptoms/effects after ingestion	: Swallowing of material from a sealed battery is not an expected exposure route. Swallowing mists from a ruptured battery may cause respiratory irritation, chemical burns of the mouth and gastrointestinal tract irritation.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

Suitable extinguishing media	: Foam. Dry powder. Carbon dioxide. Water spray. Sand.
Unsuitable extinguishing media	: Do not use a heavy water stream.

#### 5.2. Special hazards arising from the substance or mixture

Fire hazard	: Non flammable.
Explosion hazard	: Explosion risk in case of fire.
Hazardous decomposition products in case of fire	: Lead oxide.

#### 5.3. Advice for firefighters

Firefighting instructions	: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment.
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection.

# Lead-Acid Batteries

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

General measures : If the battery material is released, remove personnel from the area until fumes dissipate. Ventilate the area to remove the hazardous gases. Leave the area and allow the batteries to cool. Avoid skin and eye contact or inhalation of vapors.

##### 6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

##### 6.1.2. For emergency responders

Protective equipment : Equip cleanup crew with proper protection. For further information refer to section 8: "Exposure controls/personal protection".

Emergency procedures : Ventilate area.

#### 6.2. Environmental precautions

Avoid release to the environment.

#### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Mechanically recover the product.

Other information : Dispose of materials or solid residues at an authorized site.

#### 6.4. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection". Concerning disposal elimination after cleaning, see section 13.

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Precautions for safe handling : The battery should not be opened or burned. Exposure to the ingredients contained within or their combustion products could be harmful. Provide good ventilation in process area to prevent formation of vapour. Concerning personal protective equipment to use, see section 8.

Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in tightly closed, properly ventilated containers away from heat, sparks, open flame. Keep container tightly closed and dry. Store in dry, cool, well-ventilated area.

Heat and ignition sources : Keep away from heat and direct sunlight.

#### 7.3. Specific end use(s)

Electrical batteries and accumulators.

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

##### 8.1.1 National occupational exposure and biological limit values

Lead and Lead alloys (7439-92-1)	
EU - Binding Occupational Exposure Limit (BOEL)	
Local name	Inorganic lead and its compounds
BOEL TWA	0.15 mg/m <sup>3</sup>
Regulatory reference	DIRECTIVE (EU) 2022/431 (amending Directive 2004/37/EC)

# Lead-Acid Batteries

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Lead and Lead alloys (7439-92-1)	
<b>EU - Biological Limit Value (BLV)</b>	
Local name	Lead and its inorganic compounds
BLV	70 µg/100ml Parameter: Lead - Medium: blood - Sampling time: no restriction (binding biological limit value) 0.075 mg/m <sup>3</sup> Parameter: Lead - Medium: air - Sampling time: 40 hours per week (TWA medical surveillance threshold in air measured as a time weighted average over 40 hours per week) 40 µg/100ml Parameter: Lead - Medium: blood - Sampling time: no restriction (medical surveillance threshold measured in individual workers)
Regulatory reference	SCOEL List of recommended health-based BLVs and BGVs
<b>United Kingdom - Occupational Exposure Limits</b>	
WEL TWA (OEL TWA) [1]	0.15 mg/m <sup>3</sup>
WEL STEL (OEL STEL)	0.45 mg/m <sup>3</sup> (calculated)
<b>Active mass (battery lead paste) (7439-92-1)</b>	
<b>EU - Binding Occupational Exposure Limit (BOEL)</b>	
Local name	Inorganic lead and its compounds
BOEL TWA	0.15 mg/m <sup>3</sup>
Regulatory reference	DIRECTIVE (EU) 2022/431 (amending Directive 2004/37/EC)
<b>EU - Biological Limit Value (BLV)</b>	
Local name	Lead and its inorganic compounds
BLV	30 µg/100ml Parameter: Pb
Regulatory reference	SCOEL List of recommended health-based BLVs and BGVs
<b>Sulphuric acid (7664-93-9)</b>	
<b>EU - Indicative Occupational Exposure Limit (IOEL)</b>	
Local name	Sulphuric acid (mist)
IOEL TWA	0.05 mg/m <sup>3</sup>
Regulatory reference	COMMISSION DIRECTIVE 2009/161/EU
<b>United Kingdom - Occupational Exposure Limits</b>	
Local name	Sulphuric acid
WEL TWA (OEL TWA) [1]	0.05 mg/m <sup>3</sup> (mist)
WEL STEL (OEL STEL)	0.15 mg/m <sup>3</sup> (calculated-mist)
Remark	The mist is defined as the thoracic fraction
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE

### 8.1.2. Recommended monitoring procedures

No additional information available

### 8.1.3. Air contaminants formed

No additional information available

### 8.1.4. DNEL and PNEC

No additional information available

### 8.1.5. Control banding

No additional information available

# Lead-Acid Batteries

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### 8.2. Exposure controls

#### 8.2.1. Appropriate engineering controls

**Appropriate engineering controls:**

hazards in case of damaged / ruptured battery.

#### 8.2.2. Personal protection equipment

##### 8.2.2.1. Eye and face protection

**Eye protection:**

Safety glasses. DIN EN 166

##### 8.2.2.2. Skin protection

**Skin and body protection:**

Wear suitable protective clothing. CEN : EN 340; EN 369; EN 465

**Hand protection:**

Wear suitable gloves resistant to chemical penetration. Chemical resistant gloves (according to European standard NF EN 374 or equivalent)

Hand protection					
Type	Material	Permeation	Thickness (mm)	Penetration	Standard
Gloves	Nitrile rubber (NBR)	6 (> 480 minutes)	>0.11		EN 374

##### 8.2.2.3. Respiratory protection

**Respiratory protection:**

No special respiratory protection equipment is recommended under normal conditions of use with adequate ventilation

##### 8.2.2.4. Thermal hazards

No additional information available

### 8.2.3. Environmental exposure controls

**Other information:**

Do not eat, drink or smoke during use.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state	: Solid
Colour	: Not available.
Appearance	: batteries and accumulators.
Odour	: Odourless.
Odour threshold	: Not available
Melting point	: Not available
Freezing point	: Not available
Boiling point	: Not available
Flammability	: Not available
Explosive limits	: Not applicable
Lower explosion limit	: Not applicable
Upper explosion limit	: Not applicable
Flash point	: Not applicable
Auto-ignition temperature	: Not applicable
Decomposition temperature	: 338 °C
pH	: Not available
pH solution	: Not available
Viscosity, kinematic	: Not applicable
Solubility	: Not available
Partition coefficient n-octanol/water (Log Kow)	: Not available
Vapour pressure	: Not available

# Lead-Acid Batteries

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Vapour pressure at 50 °C	: Not available
Density	: Not available
Relative density	: Not available
Relative vapour density at 20 °C	: Not applicable
Particle size	: Not available
Particle size distribution	: Not available
Particle shape	: Not available
Particle aspect ratio	: Not available
Particle aggregation state	: Not available
Particle agglomeration state	: Not available
Particle specific surface area	: Not available
Particle dustiness	: Not available

### 9.2. Other information

#### 9.2.1. Information with regard to physical hazard classes

No additional information available

#### 9.2.2. Other safety characteristics

No additional information available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

Stable under normal conditions of use.

### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

No dangerous reactions known.

### 10.4. Conditions to avoid

Extremely high or low temperatures. Keep out of direct sunlight. The battery should not be opened or burned. Exposure to the ingredients contained within or their combustion products could be harmful.

### 10.5. Incompatible materials

Strong acids. Strong bases.

### 10.6. Hazardous decomposition products

Hazardous combustion gases occur in case of fire: lead vapour, lead oxide. Explosion risks of vapours.

## SECTION 11: Toxicological information

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified

#### Sulphuric acid (7664-93-9)

ATE dust/mist	5000 mg/m <sup>3</sup>
---------------	------------------------

Skin corrosion/irritation : The product is not considered to be irritating to the skin

#### Lead and Lead alloys (7439-92-1)

pH	7 – 8
----	-------

Serious eye damage/irritation : The product is not considered to be irritating to the eyes

# Lead-Acid Batteries

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### Lead and Lead alloys (7439-92-1)

pH	7 – 8
Respiratory or skin sensitisation	: Not specifically applicable
Germ cell mutagenicity	: No mutagenic effect
Carcinogenicity	: No carcinogenic effect

### Lead and Lead alloys (7439-92-1)

IARC group	2A - Probably carcinogenic to humans
------------	--------------------------------------

### Sulphuric acid (7664-93-9)

IARC group	1 - Carcinogenic to humans
Reproductive toxicity	: No indications of human reproductive toxicity exist.
STOT-single exposure	: Not classified
STOT-repeated exposure	: Causes damage to organs through prolonged or repeated exposure.

### Lead and Lead alloys (7439-92-1)

STOT-repeated exposure	Causes damage to organs through prolonged or repeated exposure.
------------------------	---

### Active mass (battery lead paste) (7439-92-1)

STOT-repeated exposure	Causes damage to organs through prolonged or repeated exposure.
------------------------	---

Aspiration hazard	: Not classified
-------------------	------------------

## 11.2. Information on other hazards

No additional information available

## SECTION 12: Ecological information

### 12.1. Toxicity

Hazardous to the aquatic environment, short-term (acute)	: Not classified
Hazardous to the aquatic environment, long-term (chronic)	: Not classified

### 12.2. Persistence and degradability

No additional information available

### 12.3. Bioaccumulative potential

Sulphuric acid (7664-93-9)	
Partition coefficient n-octanol/water (Log Pow)	-2.2
Bioaccumulative potential	not bioaccumulable.

### 12.4. Mobility in soil

No additional information available

### 12.5. Results of PBT and vPvB assessment

No additional information available

### 12.6. Endocrine disrupting properties

No additional information available

### 12.7. Other adverse effects

Additional information	: Avoid release to the environment.
------------------------	-------------------------------------



# Lead-Acid Batteries

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878






### SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

Product/Packaging disposal recommendations	: Dispose in a safe manner in accordance with local/national regulations.
Additional information	: Empty containers should be taken for recycling, recovery or waste in accordance with local regulation.
Ecology - waste materials	: Avoid release to the environment.
European List of Waste (LoW) code	: 16 06 00 - batteries and accumulators 16 06 01* - lead batteries

### SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID
<b>14.1. UN number or ID number</b>				
UN 2794	UN 2794	UN 2794	UN 2794	UN 2794
<b>14.2. UN proper shipping name</b>				
BATTERIES, WET, FILLED WITH ACID (CONTAINS : Sulphuric acid ; Lead and Lead alloys)	BATTERIES, WET, FILLED WITH ACID (CONTAINS : Sulphuric acid ; Lead and Lead alloys)	Batteries, wet, filled with acid (CONTAINS : Sulphuric acid ; Lead and Lead alloys)	BATTERIES, WET, FILLED WITH ACID (CONTAINS : Sulphuric acid ; Lead and Lead alloys)	BATTERIES, WET, FILLED WITH ACID (CONTAINS : Sulphuric acid ; Lead and Lead alloys)
<b>Transport document description</b>				
UN 2794 BATTERIES, WET, FILLED WITH ACID (CONTAINS : Sulphuric acid ; Lead and Lead alloys), 8, (E)	UN 2794 BATTERIES, WET, FILLED WITH ACID (CONTAINS : Sulphuric acid ; Lead and Lead alloys), 8	UN 2794 Batteries, wet, filled with acid (CONTAINS : Sulphuric acid ; Lead and Lead alloys), 8	UN 2794 BATTERIES, WET, FILLED WITH ACID (CONTAINS : Sulphuric acid ; Lead and Lead alloys), 8	UN 2794 BATTERIES, WET, FILLED WITH ACID (CONTAINS : Sulphuric acid ; Lead and Lead alloys), 8
<b>14.3. Transport hazard class(es)</b>				
8	8	8	8	8
				
<b>14.4. Packing group</b>				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
<b>14.5. Environmental hazards</b>				
Dangerous for the environment: No	Dangerous for the environment: No Marine pollutant: No	Dangerous for the environment: No	Dangerous for the environment: No	Dangerous for the environment: No
No supplementary information available				

#### 14.6. Special precautions for user

##### Overland transport


Classification code (ADR)	: C11
Special provisions (ADR)	: 295, 598
Limited quantities (ADR)	: 1I
Excepted quantities (ADR)	: E0
Packing instructions (ADR)	: P801
Transport category (ADR)	: 3
Special provisions for carriage - Bulk (ADR)	: VC1, VC2, AP8

# Lead-Acid Batteries

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Hazard identification number (Kemler No.) : 80  
Orange plates :



Tunnel restriction code (ADR) : E  
EAC code : 2R

### Transport by sea

Special provisions (IMDG) : 295  
Limited quantities (IMDG) : 1 L  
Excepted quantities (IMDG) : E0  
Packing instructions (IMDG) : P801  
EmS-No. (Fire) : F-A  
EmS-No. (Spillage) : S-B  
Stowage category (IMDG) : A  
Stowage and handling (IMDG) : SW16  
Segregation (IMDG) : SGG1, SG36, SG49  
Properties and observations (IMDG) : Metal plates immersed in acid electrolyte in a glass, hard rubber or plastics receptacle. When electrically charged, may cause fire through short-circuiting of terminals. Acid electrolyte is corrosive to most metals. Cause burns to skin, eyes and mucous membranes. Used batteries being transported for disposal or reclamation should be carefully checked prior to shipment to ensure the integrity of each battery and its suitability for transport.  
MFAG-No : 154

### Air transport

PCA Excepted quantities (IATA) : E0  
PCA Limited quantities (IATA) : Forbidden  
PCA limited quantity max net quantity (IATA) : Forbidden  
PCA packing instructions (IATA) : 870  
PCA max net quantity (IATA) : 30kg  
CAO packing instructions (IATA) : 870  
CAO max net quantity (IATA) : No limit  
Special provisions (IATA) : A51, A164, A183, A802  
ERG code (IATA) : 8L

### Inland waterway transport

Classification code (ADN) : C11  
Special provisions (ADN) : 295, 598  
Limited quantities (ADN) : 1 L  
Excepted quantities (ADN) : E0  
Equipment required (ADN) : PP, EP  
Number of blue cones/lights (ADN) : 0

### Rail transport

Classification code (RID) : C11  
Special provisions (RID) : 295, 598  
Limited quantities (RID) : 1L  
Excepted quantities (RID) : E0  
Packing instructions (RID) : P801  
Transport category (RID) : 3  
Special provisions for carriage – Bulk (RID) : VC1, VC2, AP8  
Colis express (express parcels) (RID) : CE8  
Hazard identification number (RID) : 80

## 14.7. Maritime transport in bulk according to IMO instruments

Not applicable

# Lead-Acid Batteries

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

##### 15.1.1. EU-Regulations

###### REACH Annex XVII (Restriction List)

Not applicable.

###### REACH Annex XIV (Authorisation List)

Not applicable.

###### REACH Candidate List (SVHC)

Contains one substance (s) from the list of candidate substances of REACH: Lead and Lead alloys (EC 231-100-4, CAS 7439-92-1), Active mass (battery lead paste) (EC 231-100-4, CAS 7439-92-1)

###### PIC Regulation (Prior Informed Consent)

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

###### POP Regulation (Persistent Organic Pollutants)

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

###### Ozone Regulation (1005/2009)

Contains no substance subject to REGULATION (EU) No 1005/2009 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 September 2009 on substances that deplete the ozone layer.

###### Biocide Regulation (528/2012)

Child-resistant fastening : Applicable

Tactile warning : Applicable

###### Explosives Precursors Regulation (2019/1148)

Contains substance subject to Regulation (EU) 2019/1148 of the European Parliament and of the Council of 20 June 2019 on the marketing and use of explosives precursors.

###### ANNEX I RESTRICTED EXPLOSIVES PRECURSORS

List of substances which shall not be made available to, or introduced, possessed or used by, members of the general public, whether on their own or in mixtures or substances that include those substances, unless the concentration is equal to or lower than the limit values set out in column 2, and for which suspicious transactions and significant disappearances and thefts are to be reported to the relevant national contact point within 24 hours.

Name	CAS-No.	Limit value	Upper limit value for licensing under Article 5(3)	Combined Nomenclature (CN) code for a separate chemically defined compound meeting the requirements of Note 1 to Chapter 28 or 29 of the CN, respectively	Combined Nomenclature code for mixture without constituents which would determine classification under another CN code
Sulphuric acid	7664-93-9	15 % w/w	40 % w/w	ex 2807 00 00	ex 3824 99 96

Please see [https://ec.europa.eu/home-affairs/system/files/2021-11/list\\_of\\_competent\\_authorities\\_and\\_national\\_contact\\_points\\_en.pdf](https://ec.europa.eu/home-affairs/system/files/2021-11/list_of_competent_authorities_and_national_contact_points_en.pdf)

###### Drug Precursors Regulation (273/2004)

Contains substance subject to Regulation (EC) 273/2004 of the European Parliament and of the Council of 11 February 2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances.

# Lead-Acid Batteries

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Name	CN designation	CAS-No.	CN code	Category	Threshold	Annex
Sulphuric acid		7664-93-9	2807 00 10	Category 3		Annex I

### 15.1.2. National regulations

No additional information available

### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

## SECTION 16: Other information

### Abbreviations and acronyms:

ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
CAS	CAS (Chemical Abstracts Service) number
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008
EC-No.	European Community number
EN	European Standard
IMDG	International Maritime Dangerous Goods
IATA	International Air Transport Association
OEL	Occupational Exposure Limit
PBT	Persistent Bioaccumulative Toxic
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SDS	Safety Data Sheet
WGK	Water Hazard Class
vPvB	Very Persistent and Very Bioaccumulative

Data sources : according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878.

Other information : REACH Disclaimer:  
This information is based on current knowledge. Consistency of data in the SDS with CSR is considered, as far as the information is available at the time of compilation (cfr Revision date and Version number). **DISCLAIMER OF LIABILITY** The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable.

### Full text of H- and EUH-statements:

Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.

# Lead-Acid Batteries

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Full text of H- and EUH-statements:	
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H360FD	May damage fertility. May damage the unborn child.
H362	May cause harm to breast-fed children.
H372	Causes damage to organs through prolonged or repeated exposure.
Lact.	Reproductive toxicity, Additional category, Effects on or via lactation
Repr. 1A	Reproductive toxicity, Category 1A
Skin Corr. 1A	Skin corrosion/irritation, Category 1, Sub-Category 1A
Skin Irrit. 2	Skin corrosion/irritation, Category 2
STOT RE 1	Specific target organ toxicity – Repeated exposure, Category 1

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:		
Skin Corr. 1A	H314	Calculation method
Eye Dam. 1	H318	Calculation method
Repr. 1A	H360FD	Calculation method
Lact.	H362	Calculation method
STOT RE 1	H372	Calculation method

Safety Data Sheet applicable for regions : GB - United Kingdom  
The classification complies with : ATP 12

This Safety Data Sheet is compiled by: ChemPros B.V. | +31(0)797676006 | info@chemprosbv.nl